

FrameMaker 6.0 Building Blocks

Quick Reference

Used In

Building Block	Displays	Used In					
		Autonumber	Cross-reference	Index Marker	Variable	HTML Ref. Page	Other Ref. Pages
< \$alphabetics >	Sort order for alphabetic entries						✓
< \$AMPM >	Uppercase morning or evening designation (AM)		✓		✓		
< \$ampm >	Lowercase morning or evening designation (am)		✓		✓		
< \$autorange >	Automatic page ranges						✓
< \$chapnum >	Chapter number	✓	✓		✓	✓	✓
< \$condtag[condtag] >	Condition tag				✓		
< \$curpagenum >	Page number (used only on Master Page)						✓
< \$dayname >	Name of the day (Monday)		✓		✓		
< \$daynum01 >	Number of the day with leading 0 (01)		✓		✓		
< \$daynum >	Number of the day (1)		✓		✓		
< \$defaulttitle >	Text of the first document heading						✓
< \$endrange >	End of a page range			✓			
< \$filename >	Name of the file		✓		✓		
< \$fullfilename >	Name of the path and file (platform-dependent)		✓		✓		
< \$hour01 >	Hours with leading 0 (01)		✓		✓		
< \$hour24 >	Hours in 0-24 military format (13)		✓		✓		
< \$hour >	Hours (1)		✓		✓		
< \$lastpagenum >	Last page number in document		✓		✓		
< \$marker1 >	Header/Footer \$1 marker text				✓		
< \$marker2 >	Header/Footer \$2 marker text				✓		
< \$minute00 >	Minutes with leading 0 (01)		✓		✓		
< \$minute >	Minutes (1)		✓		✓		
< \$monthname >	Name of the month (January)		✓		✓		
< \$monthnum01 >	Number of the month with leading 0 (01)		✓		✓		

Used In

Building Block	Displays	Used In					
		Autonumber	Cross-reference	Index Marker	Variable	HTML Ref. Page	Other Ref. Pages
< \$monthnum >	Number of the month (1)		✓		✓		
< \$nextsubdoc >	URL of the next document						✓
< \$nopage >	Suppresses the page number			✓			
< \$numerics >	Sort order for numeric entries						✓
< \$pagenum >	Page number		✓		✓		✓
< \$paranum[tag] >	Paragraph's autonumber, including text (Chapter 1)		✓		✓	✓	✓
< \$paranumonly[tag] >	Paragraph's autonumber, excluding text (1)		✓		✓	✓	✓
< \$paratag[tag] >	Paragraph's tag name (Chapter)		✓		✓	✓	✓
< \$paratext[+ ,tag] >	Text of last paragraph on page matching the tag		✓		✓	✓	✓
< \$paratext[tag] >	Text of first paragraph on page matching the tag		✓		✓	✓	✓
< \$parentdoc >	URL of the first document						✓
< \$prevsubdoc >	URL of the previous document						✓
< \$relfilename >	Relative path name				✓		✓
< \$second00 >	Seconds with leading 0 (01)		✓		✓		
< \$second >	Seconds (1)		✓		✓		
< \$shortdayname >	Name of the day (Mon)		✓		✓		
< \$shortmonthname >	Name of the month (Jan)		✓		✓		
< \$shortyear >	Year (97)		✓		✓		
< \$singlepage >	Designates single page number after < \$nopage >			✓			
< \$startrange >	Beginning of page range			✓			
< \$symbols >	Sort order for symbolic entries						✓
< \$tblsheetcount >	Total number of table sheets				✓		
< \$tblsheetnum >	Number of current table sheet				✓		
< \$variable[varname] >	Text of the variable						✓
< \$volnum >	Volume number	✓	✓		✓	✓	✓
< \$year >	Year (1997)		✓		✓		

Used In

Building Block	Displays	Used In					
		Autonumber	Cross-reference	Index Marker	Variable	HTML Ref. Page	Other Ref. Pages
< >	Keeps value of first counter, undisplayed	✓					
< =0> ^{1,2}	Resets value to zero, undisplayed	✓					
< A + >	Uppercase alphabetic numbering, value increased by 1	✓					
< A >	Uppercase alphabetic numbering, value unchanged	✓					
< A = 1 > ²	Uppercase alphabetic numbering, value set to 1	✓					
< R + >	Uppercase roman numeral numbering, value increased by 1	✓					
< R >	Uppercase roman numeral numbering, value unchanged	✓					
< R = 1 > ²	Uppercase roman numeral numbering, value set to 1	✓					
< a + >	Lowercase alphabetic numbering, value increased by 1	✓					
< a >	Lowercase alphabetic numbering, value unchanged	✓					
< a = 1 > ²	Lowercase alphabetic numbering, value set to 1	✓					
< n + >	Numeric numbering, value increased by 1	✓					
< n = 1 > ²	Numeric numbering, value set to 1	✓					
< n >	Numeric numbering, value unchanged	✓					
< r + >	Lowercase roman numeral numbering, value increased by 1	✓					
< r >	Lowercase roman numeral numbering, value unchanged	✓					
< r = 1 > ²	Lowercase roman numeral numbering, value set to 1	✓					

¹You can also reset the value by not including a counter.

²You can set the value to any number.